

L Number	Hits	Search Text	DB	Time stamp
3	363	(438/29).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:25
7	0	(438/?ccls.) and (barrel adj lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:25
8	1182	barrel adj lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:26
9	2207	438/?ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:26
10	0	(barrel adj lens) and 438/?ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:26
11	144522	barrel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:26
12	24	438/?ccls. and barrel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:33
13	2430	(355/77).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:35
-	2	("4733945").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 09:10
-	3576	((359/819-823) or (359/827)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 14:34

-	430	((359/819-823) or (359/827)).CCLS.) and measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 14:58
-	24142	(lens or optical) near2 (mount or holder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:00
-	5259	((lens or optical) near2 (mount or holder)) and measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:00
-	2889	((lens or optical) near2 (mount or holder)) and measuring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:00
-	48352	heat near3 (insulation or sheild)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:06
-	14	((lens or optical) near2 (mount or holder)) and measuring) and (heat near3 (insulation or sheild))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:12
-	966	((lens or optical) near2 (mount or holder)) and measuring) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:14
-	2	("4046458"   "4239364").PN.	USPAT	2003/02/13 15:23
-	12	4733945.URPN.	USPAT	2003/02/13 15:33

L Number	Hits	Search Text	DB	Time stamp
-	2	("4733945").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 14:34
-	3576	((359/819-823) or (359/827)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 14:34
-	430	((359/819-823) or (359/827)).CCLS.) and measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 14:58
-	24142	(lens or optical) near2 (mount or holder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:00
-	5259	((lens or optical) near2 (mount or holder)) and measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:00
-	2889	((lens or optical) near2 (mount or holder)) and measuring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:00
-	48352	heat near3 (insulation or sheild)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:06
-	14	((lens or optical) near2 (mount or holder)) and measuring) and (heat near3 (insulation or sheild))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:12
-	966	((lens or optical) near2 (mount or holder)) and measuring) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 15:14
-	2	("4046458"   "4239364").PN.	USPAT	2003/02/13 15:23
-	12	4733945.URPN.	USPAT	2003/02/13 15:33

BRS L1 75171 (hold\$4 or mount\$4 or retain\$4) near2 (optical or lens)  
USPAT; US-PGPUB; EPO; JPO; DERWENT

BRS L2 5641 1 and ((hold\$4 or mount\$4 or retain\$4) near2 (portion or section or barrel))USPAT; US-PGPUB; EPO; JPO; DERWENT

BRS L3 1249 2 and ((connect\$4) near4 (portion or section or barrel))  
USPAT; US-PGPUB; EPO; JPO; DERWENT

BRS L4 620 3 and (drive or actuator or piezoelectric\$5) USPAT; US-PGPUB;  
EPO; JPO; DERWENT

BRS L5 219 3 and ((drive or actuator or piezoelectric\$5) near4 connect\$4)  
USPAT; US-PGPUB; EPO; JPO; DERWENT

BRS L6 2899 1 and (first near2 (portion or section or barrel)) USPAT; US-  
PGPUB; EPO; JPO; DERWENT

BRS L7 12642 1 and ((hold\$4 or mount\$4 or retain\$4) near2 (portion or section or barrel))USPAT; US-PGPUB; EPO; JPO; DERWENT

BRS L8 4148 7 and ((connect\$4) near4 (portion or section or barrel))  
USPAT; US-PGPUB; EPO; JPO; DERWENT

BRS L9 953 8 and ((driv\$5 or actuator or piezoelectric\$5) near4 connect\$4)  
USPAT; US-PGPUB; EPO; JPO; DERWENT

BRS L10 518 9 and ((mov\$4 or tilting) near2 (optical or lens)) USPAT; US-  
PGPUB; EPO; JPO; DERWENT

BRS L11 316 10 and ((mov\$6 or tilt\$4 or rotat\$4) near4 connect\$5)  
USPAT; US-PGPUB; EPO; JPO; DERWENT

IS&R	L1	59	(359/816).CCLS.	USPAT
IS&R	L17	735	(359/819).CCLS.	USPAT
IS&R	L207	804	(359/823).CCLS.	USPAT
IS&R	L319	370	(359/824).CCLS.	USPAT
IS&R	L346	275	(359/822).CCLS.	USPAT
IS&R	L403	185	(359/820).CCLS.	USPAT
IS&R	L419	153	(359/826).CCLS.	USPAT
IS&R	L449	235	(359/827).CCLS.	USPAT
IS&R	L481	0	(356/375).CCLS.	USPAT
IS&R	L482	1575	(355/77).CCLS.	USPAT